

intimus 100 In the Office

Professional Data Shredders – a Synthesis of Technology, Performance and Design. All intimus® shredders are built from durable, precision engineered, high-performance components, designed for a long life of high volume usage. The product range covers all requirements from day-to-day office use up to High Security Shredding machines in use for destruction of classified material in line with all current legal requirements such as DIN 66399 or NSA 02/01. intimus® shredders carry various features which make them unique in user-friendliness and operating efficiency.

- Low noise level
- Automatic start/stop with light barrier
- Automatic stop in case of overload
- Illuminated indicators for basket full, door open and paper jam
- Sealed dust-free design with robust wooden cabinet
- Mounted on rollers for flexible use



W/D/H 49 x 44 x 90 cm



*CP6,
CP7 / 2



CPNI
Centre for the Protection
of National Infrastructure

100 CP5 | 100CP6 | 100 CP7

EcoLogic

Model	Shred size		Security level DIN 66 399						Shredding capacity* sheets		Cutting speed m/s	Throughput** sheets/min		Also shreds:				
	mm	l	P	F	O	T	H	E	70 g/m ²	80 g/m ²		70 g/m ²	80 g/m ²					
100 SP2	3.8	100	5+	2	-	2	2*	-	-	23-25	19-21	0.14	707	594	✓	-	✓	-
100 CP4	3.8 x 36	100	5+	4	1	3	4*	-	-	18-20	16-17	0.14	566	481	✓	-	✓	-
100 CP5	1.9 x 15	100	5+	5	2	-	-	-	-	13-15	11-13	0.14	424	368	✓	-	✓	-

* only floppy disks / ID cards

High Security Shredder

100 CP6	0.8 x 12	100	5+	6	3	-	-	-	-	8-10	7-9	0.14	283	255	-	-	-	-
100 CP7	0.8 x 4.5	100	5+	7*	3	-	-	-	-	5-6	4-6	0.14	170	170	-	-	-	-

* NSA approved (NSA / CSS EPL 02/01)

Optional Equipment

	Packing unit	Art. No.
PE bags intimus 100 and 120	50 pieces	99977

Shredder oil for CP-models

	Packing unit	Art. No.
Bottle at 110 ml	6 bottles	88035
... for models with oiler, 2 litres	1 canister	91869

* based on 70 g/m² A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply. It may be lower if the voltage is below the rated/nominal value.

** theoretical average performance paper/min